

126-5-3-6/31

Magnetic Properties of Magnetically Anisotropic Specimens of
Ferromagnetic Powders

between the texture and the specimen axis is denoted by ϕ .)
A dependence is established of the character of the
anisotropy of ^{the} magnetization curves of magnetically textured
specimens, made of thin powder of the MnBi alloy, on the
dimensions of the powder particles. For certain particle
dimensions, a magnetization process is observed in the
longitudinally textured specimens which manifests itself
in the fact that saturation is reached in fields of lower
intensity than the maximum values of the residual
magnetization and the coercive force. On the basis of
the measured magnetization curves and of particular
hysteresis cycles of isotropic and magnetically textured
specimens of Mn-Bi alloys of various degrees of
dispersion, it was established that in fine powders a
magnetic transition structure from the multi-domain to the
single-domain one as well as a single-domain structure can
exist. A model of the transient magnetic structure is
put forward.

Card 2/3 There are 9 figures, 1 table and 7 references, 6 of which
are Soviet and 1 French.

126-5-3-6/31
Magnetic Properties of Magnetically Anisotropic Specimens of Ferromagnetic Powders

ASSOCIATION: Institut Fiziki Metallov Ural'skogo Filiala AN SSSR
(Institute of Metal Physics, Ural Branch of the Ac.Sc., USSR)

SUBMITTED: May 17, 1957

1. Metal powders--Magnetic properties 2. Ferromagnetic materials
--Preparation 3. Hysteresis

Card 3/3

126-5-3-7/31

AUTHORS: Shur, Ya. S., Shtol'ts, Ye. V. and Kandaurova, G. S.

TITLE: The Magnetic Properties of Magnetically Anisotropic Specimens Made of Ferromagnetic Powders (Magnitnyye svoystva magnitno-anizotropnykh obraztsov iz ferro-magnitnykh poroshkov) II. The Dependence of the Curves of Magnetization on the Method of Obtaining the Demagnetised State (II Zavisimost' krivyykh namagnichivaniya ot sposoba polucheniya razmagnichennogo sostoyaniya)

PERIODICAL: Fizika Metallov i Metallovedeniye, 1957. Vol. V, Nr 3, pp 421-427 (USSR)

ABSTRACT: A series of powders each with a uniform particle size, lying in the range 250 to 4 μ , was made from a manganese-bismuth alloy containing about 50% ferromagnetic phase. Magnetised dies were prepared from the powders by mixing them with a suitable filler, pouring into a mould, fusing at about 60°C and cooling in a magnetic field. The dies were then demagnetised either by cooling to -196°C in an alternating field, or at room temperature, by using a field of variable magnitude but constant sign to return the material to the demagnetised state from the appropriate point on one or other branch of the hysteresis loop. A part of the paper is devoted to the study of

Card 1/3

126-5-3-7/31

The Magnetic Properties of Magnetically Anisotropic Specimens Made of Ferromagnetic Powders II. The Dependence of the Curves of Magnetization on the Method of Obtaining the Demagnetised State

these 'curves of return'. Subsequent remagnetization to saturation was shown to follow a course dependent on the mode of demagnetization. Demagnetization by the first method permitted rapid remagnetization. After demagnetization at room temperature by a field of the same sign as the original magnetization, the remagnetization curve assumed a step-like form except at large particle sizes. If, however, the specimen was demagnetised by a field of opposite sign, remagnetization proceeded comparatively smoothly except at the lowest particle sizes when the curve again had a step-like appearance. An attempt is made to explain the observations qualitatively in terms of a transient magnetic structure intermediate between the single and many domained types. In presence of such a structure in the direction along the axis of the texture of magnetically anisotropic specimens, a fundamental role in the process of magnetization is played by the hysteresis in the formation and growth of remagnetization nuclei.

Card
2/3

There are 8 figures and 2 references, both of which are Soviet.

The Magnetic Properties of Magnetically Anisotropic Specimens Made
of Ferromagnetic Powders II. The Dependence of the Curves of
Magnetization on the Method of Obtaining the Demagnetised State

126-5-3-7/31

ASSOCIATION: Institut fiziki metallov Ural'skogo filiala AN SSSR
(Institute of Metal Physics, Ural Branch of the Ac.Sc.,
USSR)

SUBMITTED: May 17, 1957

1. Metal powders--Magnetic properties 2. Ferromagnetic materials
--Test methods

Card 3/3

SOV/126-6-2-5/34

AUTHORS: Kandaurova, G. S., Shur, Ya. S. and Shtol'ts, Ye. V.

TITLE: The Magnetic Properties of Magnetically Anisotropic Specimens Prepared from Ferromagnetic Powders.
(Magnitnyye svoystva magnitno-anizotropnykh obraztsov iz ferromagnitnykh poroshkov). III. Anisotropy in Magnetic Properties (Anizotropiya magnitnykh svoystv)

PERIODICAL: Fizika Metallov i Metallovedeniye, 1958, Vol 6, Nr 2, pp 229-236 (USSR)

ABSTRACT: The domain structures of powders of MnBi alloy and Co are determined from disc-shaped specimens prepared from powders of 1 to 100 μ in particle size. The Mn-Bi alloy was prepared by sintering the components at 320°C; MnBi content about 50%. The sinter was powdered and used without annealing. The Co was powdered from a piece of cast metal and annealed in vacuo at 600°C. (The method of preparing the discs is not described). Fig.1 shows the magnetization curve for an MnBi disc of particle size 25 μ , with various angles ϕ between the field and texture axes. Fig.2 gives the corresponding hysteresis loops. Fig.3 shows a polar diagram of the coercive force for MnBi discs of various particle sizes (texture

Card 1/3

SOV/126-6-2-5/34

The Magnetic Properties of Magnetically Anisotropic Specimens
Prepared from Ferromagnetic Powders. III. Anisotropy in Magnetic
Properties

axis horizontal). Fig.4 shows how the coercive force of MnBi varies with particle size for two values of ϕ ; Fig.5 resembles Fig.3 but the residual magnetization is shown instead. Figs. 6 and 7 are analogous to Figs. 1 and 3 respectively, for Co powder of 4μ particle size; Fig.8 is analogous to Fig.4 and Fig.9 to Fig.5. The results are discussed in the light of the prediction that single-domain particles should occur in larger sizes the higher the anisotropy constant and saturation magnetization. The results agree with this prediction in general, but the precise shapes of the theoretical curves (shown dashed in Figs.10 and 11) are not the same as those found by experiment for MnBi of 4μ particle size. Some of these effects can be attributed to the method used for demagnetizing the MnBi powder (decreasing alternating

Card 2/3

SOV/126-6-2-5/34
The Magnetic Properties of Magnetically Anisotropic Specimens
Prepared from Ferromagnetic Powders. III. Anisotropy in Magnetic
Properties

field at liquid nitrogen temperature).
There are 4 equations, 11 figures and 8 references,
6 of which are Soviet, 2 English.

ASSOCIATION: Institut fiziki metallov Ural'skogo filiala AN SSSR
(Institute of Metal Physics, Ural Branch of the Ac.Sc.,
USSR) and
Ural'skiy gosudarstvennyy universitet imeni A.M.Gor'kogo
(Ural State University imeni A. M. Gorkiy)

SUBMITTED: May 17, 1957

Card 3/3

1. Ferromagnetic materials--Magnetic properties 2. Alloys--
Sintering 3. Powders--Applications 4. Alloys--Heat treatment

SOV/126-6-3-5/32

AUTHORS: Shur, Ya. S., Shtol'ts, Ye. V. and Kandaurova, G. S.

TITLE: Magnetic Properties of Magnetically Anisotropic Specimens of Ferro-magnetic Powders. IV. Temperature Dependence of Magnetic Properties of Powdered Specimens of the Alloy MnBi (Magnitnyye svoystva magnitno-anizotropnykh obraztsov iz ferromagnitnykh poroshkov. IV. Temperaturnaya zavisimost' magnitnykh svoystv poroshkovykh obraztsov splava MnBi)

PERIODICAL: Fizika Metallov i Metallovedeniye, 1958, Vol 6, Nr 3, pp 420-425 (USSR)

ABSTRACT: Previous papers of this series were published in Nrs 5 and 6 of the present journal (1957, Refs.1-3). The anisotropy of the coercive force in powdered specimens of MnBi in the temperature region -196 to +20°C has been studied and results are now reported. A study was made of the magnetisation curves, recovery curves and other features of the hysteresis loops at a temperature of -196°C. It is shown that when the temperature of finely powdered specimens is reduced from +20° to -196°C, the form of the magnetic structure of the particles changes due to a reduction in the constant of anisotropy. A study of the temperature dependence of the magnetic properties of specimens of MnBi powders of different dispersity has shown that in the same

Card 1/2

SCV/126-6-3-5/32

Magnetic Properties of Magnetically Anisotropic Specimens of Ferro-Magnetic Powders. IV. Temperature Dependence of Magnetic Properties of Powdered Specimens of the Alloy MnBi

specimens at different temperatures the existence of magnetic structure of different form may be observed. Thus, the transition structure which is present at room temperature in fine powders (1 - 10 μ) disappears at -196°C and instead of it a multidomain structure is found. This is connected with the reduction in the constant of anisotropy at low temperatures. There are 6 figures, 1 table and 11 references, of which 8 are Soviet, 2 French and 1 German.

ASSOCIATION: Institut fiziki metallov Ural'skogo filiala AN SSSR
(Institute of Physics of Metals, Ural's Branch, Academy of Sciences USSR)

SUBMITTED: June 21, 1957.

1. Bismuth-manganese powder alloys--Magnetic properties
2. Bismuth-manganese powder alloys--Temperature factors

Card 2/2

AUTHORS: Shtol'ts, Ye. V., Shur, Ya. S., SOV/48-22-10-20/23
Kandaurova, G. S.

TITLE: On the Anisotropy of the Coercive Force in Magnetically Anisotropic Samples of Fine Powder (Ob anizotropii koertsitivnoy sily v magnitnoanizotropnykh obraztsakh iz tonkikh poroshkov)

PERIODICAL: Izvestiya Akademii nauk SSSR. Seriya fizicheskaya, 1958, Vol 22, Nr 10, pp 1269 - 1272 (USSR)

ABSTRACT: In the present paper the authors give a report on measurements of the coercive force of uniaxial magnetic powder produced from the following substances: Cobalt, Mn-Bi-alloy, magnetite, and iron- γ -oxide. The angular dependence of the coercive force of various powder samples is shown in figure 1. A comparison of the curves shows that in textured samples made of magnetically uniaxial powders the angular dependences of H_c may exhibit a different character.

Card 1/4

The process of the technical magnetization in directions close to the axis of texture differs from the process of irreversible rotation. Probably this is caused by the fact

On the Anisotropy of the Coercive Force in
Magnetically Anisotropic Samples of Fine Powder

SOV/48-22-10-20/23

that the one-domain structure in the particles has not yet completely been reached. The investigation of other rules governing the magnetic properties of fine powders results in the assumption that these particles exhibit a particular domain structure (Ref 4): In one particle only one basic domain and several closing domains exist. As a consequence of this the formation, the growth, and the diminution of the closing domains plays a decisive role in the process of technical magnetization. The assumption of the existence of such a domain structure is confirmed by observations of powder patterns (Ref 5). In the case of a poly-domain structure the coercive force varies inversely as $\cos \varphi$ (Ref 6).

Therefore the coercive force increases with increasing angle φ . A complicated dependence of $H_c(\varphi)$ exhibiting a maximum at a certain value of φ which varies between $\varphi = 0$ and $\varphi = 90^\circ$ may be expected. Such a regularity was observed in samples of cobalt, magnetite, and iron- γ -oxide powder. In this case the structure apparently approximates the poly-domain structure. The magnitude of H_c of these powders,

Card 2/4

On the Anisotropy of the Coercive Force in
Magnetically Anisotropic Samples of Fine Powder

SOV/48-22-10-20/23

however, is considerably higher than that of the respective massive substances. In the examined substances a change of the anisotropic character was not observed when the dimensions of the particles were modified. A change in the anisotropy of H_c together with the diminution of the particles was found in the investigation of magnetically anisotropic samples consisting of powder of the "low-coercive" Mn-Bi alloy. The dependence of $H_c(\varphi)$ found in this instance is given in figure 2. In powder of the low-coercive Mn-Bi alloys the diminution of the particles leads to a change in their magnetic structure which can be determined from the shape of the angular dependence of the coercive force. The observation results and their analysis show that in magnetically anisotropic ferromagnetics the data on the anisotropy of the coercive force besides other characteristics may give certain indications concerning the magnetic structure. There are 2 figures and 7 references, 5 of which are Soviet.

Card 3/4

On the Anisotropy of the Coercive Force in
Magnetically Anisotropic Samples of Fine Powder

SOV/48-22-10-20/23

ASSOCIATION: Institut fiziki metallov Akademii nauk SSSR (Institute of
Metal Physics, AS USSR) Fiziko-matematicheskiy fakul'tet
Ural'skogo gos. universiteta (Physics and Mathematics
Dept. at the Ural State University)

Card 4/4

24.2200
18.6100

67753

SOV/126-8-5-5/29

AUTHORS: Shur, Ya.S., Shtol'ts, Ye.V., Kandaurova, G.S., and
Redneva, L.V.

TITLE: The Temperature Dependence²¹ of Magnetic Properties²¹ of
MnBi Alloy Powder Samples with Magnetic Texture

PERIODICAL: Fizika metallov i metallovedeniye, Vol 8, 1959, Nr 5,
pp 678-684 (USSR)

ABSTRACT: The authors studied the temperature dependence of
magnetic properties of samples made of the MnBi alloy
powder. This alloy has a very high magnetic anisotropy
constant K at room temperature (Ref 4) and a high
value of the critical particle size, d_{cr} (below this
size the powder particles exist in monodomain state only).
On lowering of temperature the value of K falls sharply
and this is accompanied by a sharp fall of the critical
particle size d_{cr} , which is a function of K . It
follows that on lowering of temperature the magnetic
structure of MnBi alloy powders will be altered (a
polydomain-monodomain transition will occur) and this
change of structure will affect some magnetic properties.
Consequently we can make some deductions about the
structure of this magnetically uniaxial material from ✓

Card
1/5

67753

SOV/126-8-5-5/29

The Temperature Dependence of Magnetic Properties of MnBi Alloy
Powder Samples with Magnetic Texture

the temperature dependence of its magnetic properties. The alloy was produced by heating powders of Mn and Bi together at 300 °C and its coercive force was of the order of 1000 Oe. The alloy was powdered mechanically and several fractions of the powder with particle size from 2 to 20 μ were obtained. Samples were made from each fraction by mixing the powder with a binder and by placing this mixture in a disk-like form and allowing it to set between two poles of an electromagnet. In this way magnetically textured samples were obtained whose texture axis lay along the direction of the electromagnet field. Magnetic properties were measured between 20 and -150 °C using a ballistic throw method. Samples were demagnetized at the temperature at which a particular set of measurements were carried out by a suitable constant magnetic field in the reverse direction. The angular dependences of the coercive force and residual magnetization were obtained, magnetization curves were recorded and dependence of the residual magnetization (for partial magnetization cycles) on the magnitude of

Card
2/5

67753

SOV/126-8-5-5/29

The Temperature Dependence of Magnetic Properties of MnBi Alloy
Powder Samples with Magnetic Texture

powders with 30 and 3 μ particle size (curves 1 and 2 respectively). Fig 4a shows the 20 °C dependence of the relative magnetization I/I_s (curve 1) and the relative residual magnetization I_r/I_s (curve 2) on the magnetic field intensity along the texture axis (The results of Figs 4a, 4b and 4B all refer to a sample made of powder with 6 μ particle size). Figs 4b and 4B give the same dependences at -37 °C and at -60 °C. The authors draw the following conclusions from their results. 1) On lowering of temperature the curves representing the angular dependence of the coercive force depart more and more from the theoretical curve $H_c(\varphi)$ for a monodomain sample. This is due to a decrease of the anisotropy constant and consequent lowering of the magnitude of d_{cr} as a result of which the magnetic structure of powder particles changes gradually from monodomain to polydomain type. 2) At room temperature, when the anisotropy constant K and the critical particle size d_{cr} are large, the residual magnetization produced by partial magnetization ✓

Card
4/5

67753

AW/126-8-5-5/29

The Temperature Dependence of Magnetic Properties of MnBi Alloy
Powder Samples with Magnetic Texture

cycles is close to the maximum magnetization of a complete cycle and the maximum residual magnetization is reached in the saturation field, i.e. the magnetic structure is practically monodomain. On lowering of temperature the values of K and d_{cr} decrease and the maximum residual magnetization remains close to the saturation magnetization but is reached in fields larger than the saturation field (transition structure). At low temperatures, i.e. when K and d_{cr} are low, the residual magnetization is small and is reached in fields lower than the saturation field (polydomain structure).

Card
5/5

There are 4 figures and 5 references, of which 3 are Soviet, 1 is English and 1 is French.

ASSOCIATION: Institut fiziki metallov, AN SSSR
(Institute of Physics of Metals, Academy of Sciences
USSR)

SUBMITTED: July 18, 1959

KANDAUROVA, G.S.

81901

12.8100
12.1275

S/126/60/010/01/003/019

E073/E335

AUTHOR: Kandaurova, G.S. and Shur, Ya.S.

TITLE: Certain Magnetic Properties of Manganese - Bismuth
Alloy Powders

PERIODICAL: Fizika metallov i metallovedeniye, 1960, Vol.10,
No.1, pp 37 - 41

TEXT: In earlier published work (Refs. 1 and 2) the authors detected a number of features in manganese-bismuth alloy powders which could be explained on the assumption that such powders possess a particular type of magnetic structure, a transient structure. Later on, this structure was detected experimentally by means of the powder-pattern method (Ref.3). The properties of the artificially textured powders were determined not only by the magnetic structure of the ferromagnetic particles but also by the presence of a magnetic structure, i.e. by the parallel orientation of the axes of easy magnetization of the individual particles. The authors considered it of interest to make a special study of the magnetic properties of isotropic (pseudo-crystalline) specimens from manganese-bismuth powders of various degrees of dispersion. It can be assumed in such a case that
Card 1/3

81901

S/126/60/010/01/003/019

E073/E335

Certain Magnetic Properties of Manganese - Bismuth Alloy Powders

the magnetic properties of specimens are determined solely by the magnetic structure of the alloy. In the experiments, a magnetically uniaxial highly coercive MnBi alloy ($H_c \approx 1000$ Oe) was studied. The grain size varied between 720 and 6 μ and the coercive force varied correspondingly between 1350 and 7000 Oe. The specimens were produced from powders of certain grain sizes which were carefully mixed with a binder and the mixture was poured into a mould 15 mm dia., 2 mm high. After hardening of the binder, disc-shaped specimens were obtained which consisted of randomly orientated MnBi particles interspaced with nonferromagnetic interlayers. The concentration of the MnBi powder in the specimens did not exceed 15% in volume. This quantity was sufficient for measuring the magnetic properties by means of a ballistic method but the concentration was low enough to disregard the magnetic interaction between the individual particles. Before the actual measurements the specimens were demagnetized by using three differing methods. The results of the measurements are ✓
Card 2/3

81901

S/126/60/010/01/003/019

E073/E355

Certain Magnetic Properties of Manganese - Bismuth Alloy Powders

plotted in Figs. 1-4. These show that the properties of the specimens were similar to those observed earlier in investigating magnetically anisotropic pseudo-single crystals of powder specimens and are due to the existence in the fine particles of a particular magnetic structure which is intermediate between multi- and single-domain magnetic structures. There are 4 figures and 7 Soviet references.

ASSOCIATION: Ural'skiy gosudarstvennyy universitet im.
A.M. Gor'kogo (Ural State University im.
A.M. Gor'kiy)

SUBMITTED: February 8, 1960

Card 3/3

KANDAUROVA, G.S.; SHUR, Ya.S.

Certain magnetic properties of manganese-bismuth alloy powders.
Fiz.met.i metalloved. 10 no.1:37-41 J1 '60. (MIRA 13:8)

1. Ural'skiy gosudarstvennyy universitet im. A.M.Gor'kogo.
(Manganese-bismuth alloys--Magnetic properties)
(Metal powders--Magnetic properties)

KANDALL ROVA, G.S.

PHASE 1 BOOK EXPLOITATION 307/4893
Vsesoyuznoye soveshchaniye po fizike, fiziko-khimiicheskimi svoystvami ferritov i fizicheskimi osnovam ikh primeneniya. 36, Minsk, 1959
Ferrity: fizicheskiye i fiziko-khimiicheskkiye svoystva. Doklady (Ferrites; Physical and Physicochemical Properties. Reports) Minsk, Izd-vo AN BSSR, 1959. 655 p. Kratka aliip inserted.
4,000 copies printed.

Sponsoring Agencies: Nauchnyy sovet po magnetizmu AN BSSR. Otdel fiziki tverdogo tela i poluprovodnikov AN BSSR.

Editorial Board: Resp. Ed.: M. M. Sirota, Academician of the Academy of Sciences BSSR; E. P. Belov, Professor, Institute of Physics, Professor; E. M. Polivanov, Professor; A. P. Tolmachev, Professor; O. A. Smolenskii, Professor; M. N. Shubnikov, Candidate of Physical and Mathematical Sciences; E. M. Sokolovskiy, and L. A. Bashkurov; Ed. of Publishing House: S. Kholyavskiy; Tech. Ed.: I. Voloshanovich.

FOREWORD: This book is intended for physicists, physical chemists, radio electronics engineers, and technical personnel engaged in the production and use of ferromagnetic materials. It may also be used by students in advanced courses in radio electronics, physics, and physical chemistry.

CONTENTS: The book contains reports presented at the Third All-Union Conference on Ferrites held in Minsk, Belorussian SSR. The reports deal with magnetic transformations, electrical and galvanomagnetic properties of ferrites, studies of the growth of ferrite single crystals, problems in the chemical and physicochemical analysis of ferrites, studies of ferrites having rectangular hysteresis loops and multicomponent ferrite systems exhibiting spontaneous rectangularity, problems in magnetic attraction, highly coercive ferrites, magnetic spectroscopy, ferromagnetic resonance, magneto-optics, physical principles of using ferrite components in electrical circuits, properties of electrical and magnetic properties, electrical and magnetic properties of ferrites, and ferrite composites. The book contains 100 references, 100 illustrations, 100 tables, and 100 figures. References accompany individual articles.

Ferrites (Cont.)	307/4893
Sankhyslov, A. A., and I. G. Ryklov. The Electrical Properties of Magnetic (Electrical Conductivity, Galvanomagnetic, Thermoelectric, and Thermomagnetic Properties of Magnetic Materials in the Temperature Range of 80 - 400°K)	272
Kuznetsov, Ya. M., and V. A. Stetsko. Electrical Properties of Some Ferrites	286
Zotov, I. D. The Effect of Low-Temperature Thermomagnetic Treatment of a Magnetic Single Crystal on Its Electrical Resistance	298
Shol'ts, V. M., and L. Ya. Shebekina. Preparation Method and Properties of Barium Oxide Magnets	302
Shur, Ya. S., and G. S. Kandallrova. The Magnetic Structure of a Barium Ferrite	311
Tel'sman, R. V., and Ya. P. Kuritsyna. Temperature Dependence of Some Properties of Manganese-Zinc Ferrites	320
Card 10/18	
Ward 9/10	

KANDAUROVA, G.S.; SHUR, Ya.S.; MASLENNIKOVA, F.V.

Dependence of the magnetic structure of a cobalt crystal on its size. Zhur. eksp. i teor. fiz. 38 no.1:60-63 Jan '60.

(MIRA 14:9)

1. Ural'skiy gosudarstvennyy universitet.
(Cobalt crystals--Magnetic properties)

L 18104-63 EWT(1)/EWP(q)/EWT(m)/BDS/ES(s)-2 ASD/AF/TC/ESD-3/IJP(C)/

SSD Pad/Pt-4 JD/HW

ACCESSION NR: AP9002842

9/0126/63/015/006/0839/0845

AUTHORS: Kandaurova, G. S.; Shur, Ya. S.

TITLE: Domain structure of a cobalt monocrystal

SOURCE: Fizika metallov i metallovedeniye, v. 15, no. 6, 1963, 839-845

TOPIC TAGS: domain structure, cobalt monocrystal, powder figure, effect of magnetic field

ABSTRACT: The domain structure variation on the basal plane of a cobalt monocrystal has been observed. This structure consists of a maze representing the outlets of the basic spontaneous magnetization domains on the basal plane of the crystal. The sample was placed into a magnetic field with intensity of about 20 000 e; it was oriented parallel to the plane (the horizontal field) and also perpendicular to the plane (vertical field). The maze pattern was obtained after the crystal cooled below the Curie point and after the sample was demagnetized by a field parallel to its hexagonal axis. It was established that powder figures consisting of star patterns are formed under the action of a magnetic field perpendicular to the axis of light magnetization. The rows of stars were oriented in the direction perpendicular to the external magnetic field. This structure was preserved also in the remnant

Card 1/2

L 18104-63

ACCESSION NR: AP3002842

2

magnetization state of the sample. It is believed that in the latter case the internal crystalline structure approximates the simplest domain structure of plane parallel layers. Orig. art. has: 3 figures.

ASSOCIATION: Ural'skiy gosudarstvennyy universitet im. A. M. Gor'kogo (Ural State University); Institut fiziki metallov AN SSSR (Institute of Physical Metallurgy, Academy of Sciences, SSSR)

SUBMITTED: 28Jul62

DATE ACQ: 23Jul63

ENCL: 00

SUB CODE: ML

NO REF SOV: 003

OTHER: 006

Card 2/2

SHUR, Ya.S.; KANDAUROVA, G.S.

Observation of the initial stages of the formation of remagnetization nuclei in a magnetoplumbite crystal. Fiz. met. i metalloved. 16 no.1: 158-160 J1 '63. (MIRA 16:9)

1. Institut fiziki metallov AN SSSR i Ural'skiy gosudarstvennyy universitet imeni A.M.Gor'kogo.
(Magnetoplumbite) (Magnetization)

KANDAUROVA, G.S.; SHUR, Ya.S.

Characteristics of the domain structure in single crystals of
magnetoplumbite. Fiz. met. i metalloved. 16 no.2:310-311 Ag '63.
(MIRA 16:8)

1. Ural'skiy gosudarstvennyy universitet im. A.M. Gor'kogo i
Institut fiziki metallov AN SSSR.
(Magnetoplumbite) (Domain structure)

L 12431-65 ENT(1)/ENT(m)/SWP(t)/EED-2/EMP(b) L/P(c)/ASD(d)/ESD(ds) JD

ACCHSSION NR: AP4047341

S/01.9/64/000/005/0012/0017

AUTHOR: Kangaurova, G. S.

TITLE: Dependence of the domain structure of a barium ferrite

L 12/31-65

ACCESSION NR: AP4047341

tial thickness 470, 310, and 180 μ and with diameter 4--5 mm were investigated. The sample thickness was reduced by mechanical grinding and polishing, which was possible only by careful polishing.

MEASUREMENT OF DEPTH OF FOCUS OF A MICROSCOPE WITH AN OPTIMETER,

ACCESSION NR: AP4023406

S/0048/64/028/003/0553/0558

AUTHOR: Shur, Ya.S.; Glazer, A.A.; Dragoshanskiy, Yu.N.; Zaykova, V.A.; Kandaurova, G.S.

TITLE: Regarding departures from homogeneity of magnetization within ferromagnetic domains /Report, Symposium on Ferromagnetism and Ferroelectricity held in Leningrad 30 May to 5 June 1963/

SOURCE: AN SSSR. Izvestiya. Seriya fizicheskaya, v.28, no.3, 1964, 553-558

TOPIC TAGS: ferromagnetic domains, ferromagnetic domain inhomogeneity, magnetization reversal nuclei

ABSTRACT: This paper is a short summary of investigations, conducted in the Ferromagnetic Laboratory of the Institute of Metal Physics of the Academy of Sciences, SSSR, concerning departures from homogeneity of magnetization within ferromagnetic domains. The early stages of the formation of magnetization reversal nuclei on the basal plane surface of a magnetoplumbite crystal, and their development into domains was observed by means of powder patterns. Motion pictures of this process were made, and several frames are reproduced. As the magnetizing field (perpendicular to the crystal surface) was gradually reduced from saturating values, the powder pattern,

Card 1/3

ACCESSION NR: AP4023406

initially featureless, first showed large (~0.1 mm) circular bright spots. These decreased in size, increased in number, became irregular in shape, and finally some of them could be seen to grow into twisting domains of opposite magnetization. The initial large spots revealed by the powder pattern are ascribed to "spin vortices", regions in which the spins are inclined to the surface in a circular pattern. These arise because they provide partial flux closure within the crystal, thus reducing the surface energy. As the magnetizing field decreases, the spin inclinations increase, and the disturbance penetrates more deeply into the crystal. Finally spin reversal occurs in the center of the vortex, and a reverse magnetization nucleus is formed. These nuclei grow into spike shaped domains. If this interpretation of the observations is correct, the intersections of the wall of such a spike domain with a plane parallel to the magnetic axis should have opposite polarities; this was observed to be the case in cobalt. The domains in Co and in MnBi alloy were observed to increase in size with increasing temperature, although the saturation magnetization did not change significantly over the temperature range concerned, the crystal anisotropy decreased markedly, and no domains of closure could be found. This behavior is ascribed to spin disorientation at the higher temperatures, resulting in internal flux closure and decreased surface energy. This interpretation is supported

Card 2/3

ACCESSION NR: AP4023406

by the fact that the contrast of the domains as observed with the longitudinal Kerr effect, as well as that of the spots on the basal plane as observed with the polar Kerr effect, decreased with increasing temperature. This increase in spin disorientation with increasing temperature could be due to increasing influence of crystal imperfections as the crystal anisotropy decreases. The magnetostriction of silicon iron in the [100] direction, which should vanish in an ideal crystal, was found to depend strongly on the annealing process to which the crystal had been subjected. The less thoroughly annealed specimens showed greater magnetostriction and less perfect domain structure. This indicates departure from uniform magnetization within the domains due to crystal imperfections. It is concluded that investigation of the departure from homogeneity of the magnetization within the domains is prerequisite to a deep understanding of various properties of ferromagnetic materials. Orig.art.has: 4 figures.

ASSOCIATION: Institut fiziki metallov Akademii nauk SSSR (Institute of Physics of Metals, Academy of Sciences, SSSR)

SUBMITTED: 00

DATE ACQ: 10Apr64

ENCL: 00

SUB CODE: FH

NR REF SOV: 002

OTHER: 000

Card 3/3

KANDAUROVA, G.S.; SHUR, Ya.S.; GUSEL'NIKOVA, N.I.

Certain characteristics of the domain structure of a cobalt crystal. Fiz. met. i metalloved. 18 no.4:530-534 C '64. (MIRA 18:4)

1. Ural'skiy gosudarstvennyy universitet imeni Gor'kogo i Institut fiziki metallov AN SSSR.

KANDAUROVA, G.S.; SHUR, Ya.S.

Nucleation and formation of a domain structure in magnetically uniaxial ferromagnetic materials. Part 1. Fiz.-met. i metalloved. 20 no.5:673-682 N.'65. (MIRA 18:12)

1. Ural'skiy gosudarstvennyy universitet imeni A.M.Gor'kogo i Institut fiziki metallov AN SSSR. Submitted April 6, 1965.

1. APPROVED BY EMP(e)/EMP(m)/EMP(w)/EMP(t)/ETI/EMP(k) IJP(c) JD/JH

ACC NR: AP6027783

SOURCE CODE: UR/0126/66/022/001/0039/0044

AUTHOR: Shur, Ya. S.; Kandaurova, G. S.; Magat, L. M.; Dykhanova, N. N.

ORG: Institute of Metal Physics, AN SSSR (Institut fiziki metallov AN SSSR); Ural State University im. A. M. Gor'kiy (Ural'skiy gosuniversitet)

TITLE: Magnetic properties of powders of a high-coercivity Mn-Al alloy

SOURCE: Fizika metallov i metallovedeniye, v. 22, no. 1, 1966, 39-44

TOPIC TAGS: aluminum alloy, magnesium alloy, powder metal property, magnetic property, magnetic coercive force

ABSTRACT: In order to elucidate the mechanism of the processes leading to the increase in the coercive force of Mn-Al alloy when in powdered state, the magnetic properties and phase composition of powders of a Mn-Al alloy (71 wt. % Mn) were investigated as a function of particle size (2 to 800 μ) and heat treatment. Two series of powders were considered: the first series was obtained by pulverizing the alloy when it was in ferromagnetic state (homogenization at 1100°C with cooling in air at the critical rate of 20°C/sec, leading to the formation of the metastable ordered ferromagnetic τ -phase); the second series was obtained by pulver-

Card 1/3

UDC: 538.245/.248

L 09006-67
ACC NR: AP6027783

1
izing the alloy when it was in nonferromagnetic state (quenching in water following homogenization at 1100°C) and in this case the high-temperature paramagnetic ϵ -phase was deformed by supercooling. The magnetic properties of the specimens were measured in fields of up to 32,000 oe by the ballistic method, while their phase composition was determined from debye-grams. Findings: for both series of powder specimens coercive force H_c increases and specific magnetization σ_{max} decreases with decrease in particle size. Thus, a particle size decreases from 500 to 2 μ , H_c increases from 1300-2000 oe to 5000 oe, while specific magnetization then decreases 4-7 times for powders in the first series and about 2 times for powders in the second series. An examination of the anisotropy of coercive force in the specimens warrants the assumption that for specimens with particle size of $<4 \mu$ magnetic properties are primarily determined by particles with a nearly monodomain structure, and it is this that accounts for the increase in coercive force. The decrease in specific magnetization with decrease in particle size is attributed to the dis-ordering of the magnetic τ -phase and the formation of paramagnetic equilibrium phases. Deformation of the alloy apparently leads to a decrease in the effective dimension of ordered regions of the ferromagnetic τ -phase and to greater isolation of these regions from each other within the powder particles. This complicates the processes of magnetization reversal and increases the coercive force. The decrease in the effective size of the τ -phase may be attributed, for the first series of powders, to local dis-ordering of the τ -phase during pulverization of the alloy in ferromagnetic state, and for the

2/5

L 09006-67

ACC NR: AP6027783

second series of powders -- to the formation of nonmagnetic equilibrium phases. "The authors consider it their pleasant duty to express their appreciation to L. V. Smirnov for providing the Mn-Al alloy." Orig. art. has: 2 figures, 1 table.

SUB CODE: 11,13,20/ SUBM DATE: 01Dec65/ ORIG REF: 002/ OTH REF: 005

Card 3/3 nst

L 08759-67 EWP(m)/EWP(t)/EPI IJP(c) JD
ACC NR: APC020126

SOURCE CODE: UR/0048/66/030/006/1030/1034

AUTHOR: Kandaurova, G. S.; Shur, Ya. S.

ORG: Institute of Metal Physics, Academy of Sciences, SSSR (Institut fiziki metallov Akademii nauk SSSR); Ural State University (Ural'skiy gosudarstvennyy universitet)

TITLE: Concerning the domain structure of magnetoplumbite /Report, All-Union Conference on the Physics of Ferro- and Antiferromagnetism held 2-7 July 1965 in Sverdlovsk/

SOURCE: AN SSSR. Izvestiya. Seriya fizicheskaya, v. 30, no. 6, 1966, 1030-1034

TOPIC TAGS: ferromagnetism, magnetic domain structure, single crystal, lead compound, iron compound, uniaxial crystal

ABSTRACT: The authors have employed the powder pattern technique to investigate the domain structure on the basal planes of $PbO \cdot 6Fe_2O_3$ crystals. The investigation was undertaken because the theory of J.Knazer and R.Gemporlo (Czechosl. J. Physics, B11, No. 3, 152 (1961)) does not account for the laminar domains with walls perpendicular to the magnetizing field that have been observed in uniaxial cobalt and magnetoplumbite crystals when the magnetizing field is perpendicular to the easy magnetization axis; the accumulation of more experimental data is regarded as a necessary first step toward the improvement of the theory of magnetic switching in uniaxial crystals.

Card 1/2

L 08759-67

ACC NR 000029123

The specimens were 0.68 to 2.4 mm thick plates with areas from 20 to 30 mm². The powder patterns were observed on cleaved faces, which required no further processing. The angle θ between the magnetizing field and the hexagonal $[0001]$ axis could be determined within $\pm 1^\circ$, and the magnetizing field could be varied from zero to 20 kOe. Powder patterns were recorded in magnetizing fields of different strengths and at angles θ ranging from 70 to 90°. Seventeen powder pattern photographs are presented and discussed. It is concluded from the observed domain structures that magnetization switching in directions nearly perpendicular to an easy magnetization axis is effected by formation and growth of nuclei of the new magnetic phase. The mechanism of nucleus formation and growth is discussed, but definite conclusions concerning that mechanism cannot be drawn from the available data. Orig. art. has: 4 figures.

SUB CODE: 20/

SUBM DATE: 00/

ORIG REF: 006/

OTH REF: 003

Card 2/2 bc

1. KURNAKOV, N. S.; LEPESHKOV, I. N.; KANDAUROVA, V. F.
2. USSR (600)
4. Potassium Salts - Volga - Emba Region
7. Potassium salts of the Volga-Emba and Carpathian Mountain region and their effectiveness as fertilizers, Izv. Sek. fiz.-khim. anal. 16, No. 3, 1948.
9. Monthly List of Russian Accessions, Library of Congress, May 1953. Unclassified.

VOLKOVA, N.I., nauchnyy sotrudnik; KANDAUROVA, Ye.I., nauchnyy sotrudnik

Sanitary and hygienic aspects of working conditions on tractors and combines with combustion and electric motors. Gig. i san. 21 no.4: 22-27 Ap '56. (MLRA 9:7)

1. Iz Nauchno-issledovatel'skogo sanitarnogo instituta imeni Erismana

(AGRICULTURE)

hyg. aspects of operation of tractors with electric & combustion motors (Rus))

KANDAUROVA, Ye.I.

Noise and vibrations produced by agricultural machinery. Gig. truda
i prof. zab. 4 no.3:23-28 Mr '60. (MIRA 15:4)

1. Moskovskiy nauchno-issledovatel'skiy institut sanitarii i
gigiyeny imeni F.F.Erismana.
(NOISE) (AGRICULTURAL MACHINERY--VIBRATION)

KANDAUROVA, Ye.I.

Hygienic working conditions on self-propelled combines. Gig.
i san. no. 10:46-51 0 '60. (MIRA 13:12)

1. Iz Moskovskogo nauchno-issledovatel'skogo instituta sanitarii
i gigiyeny imeni F.F. Erismana Ministerstva zdravookhraneniya
RSFSR.

(COMBINES (AGRICULTURAL MACHINERY)
(AGRICULTURE—HYGIENIC ASPECTS)

VOLKOV, A.M.; KANDAUROVA, Ye.I.; RUMYANTSEV, G.I.

Experimental study of the effect of general vibrations on the organism.
Uch. zap. Mosk. nauch.-issl. inst. san. i gig. no. 7:10-13 '60.

(MIRA 15:2)

(VIBRATION PHYSIOLOGICAL EFFECT)

KANDAUROVA, Ye.I.

Effect of general vertical vibrations on the human organism. Uch.
zap. Mosk.nauch-issl.inst. san. i gig. no.7: 14-16 '60.

(MIRA 15:2)

(VIBRATION__PHYSIOLOGICAL EFFECT)

KANDAUROVA, Ye.I., vrach; MAZUNINA, G.N., kand.med.nauk; PRON'KOVA, Ye.P.
vrach; TORUBAROVA, N.A., vrach; SHATALOV, N.N., kand.med.nauk;
SIDEL'NIKOVA, T.Ya., kand.med.nauk; SHCHECHKIN, V.N., kand.med.
nauk.

Hints of the "Zdorov'ie". Zdorov'ie 9 no.5:30-31 My'63.

(HYGIENE)

(MIRA 16:9)

KANDAUROVA, Yu.N.

Influence of a series of neuroleptic substances on the sensitivity of mice to the spasmodic effect of corazole. Vop.klin., patog. i lech. shiz. no.1:50-52 '64. (MIRA 18:5)

1. Otdel psikhofarmakologii (zav. - kand.med.nauk G.Ya.Avrutskiy)
Gosudarstvennogo nauchno-issledovatel'skogo instituta psikhatrii
Ministerstva zdravookhraneniya RSFSR.

L 00881-57 EWT(d)/EWP(e)/EWP(v)/T/EWP(k)/EWP(h)/EWP(l)/EWT(m) WH/WF/DS
ACC NR: AP6019848 SOURCE CODE: UR/0418/66/000/001/0025/0027

AUTHOR: Kandayan, S. G. (Engineer); Mndzhoyan, K. A. (Candidate of technical sciences); Gevorkyan, E. P. (Engineer)

ORG: None

TITLE: The MA-459 vibroprofiling machine

SOURCE: Tekhnologiya i organizatsiya proizvodstva, no. 1, 1966, 25-27

TOPIC TAGS: electroerosion machining, carbon electrode, graphite, vibration effect, machine tool / MA-459 machine tool

ABSTRACT: The authors describe the MA-459 vibroprofiling machine designed for forming the graphitized carbon electrodes use as the tool in electroerosion machining. This machine is much more productive than the conventional method of turning the surfaces of revolution for these electrodes on lathes and hand finishing the plane surfaces. The new machine also produces electrodes of higher quality. The machine consists of a stand, vibroprofiling head, tailstock, hydraulic feed unit and dust remover. The vibroprofiling head is designed for vibrating the master cutting tool which is fastened in a chuck. The spindle rotation is transmitted through an eccentric to this chuck which is connected to a special lever mechanism for plane parallel motion. The number of vibrations of the cutting tool is changed by using a four-speed electric drive. The profiling head has a special planetary mechanism for continuous control of the ampli-

Card 1/2

UDC: 621.924.6:621.3.035.2.002.2

L 00881-67

ACC NR: AP6019848

0

tude (radius of circular motions) of tool vibration. The tailstock is a conventional hydraulic cylinder with the piston rod connected to a second chuck for holding the electrographite stock. The hydraulic feed mechanism has a rotary pump with an electric drive. The pump provides the axial pressure necessary for machining the electrographite. The unit is equipped with a special device for periodically drawing the workpiece away from the tool to remove waste. The linear dimensions of the part being machined A_p are related to the linear dimensions of the tool A_t by the simple equation $A_p = A_t \pm 2\Delta$ where Δ is the total eccentricity. The plus sign corresponds the case where a depression is formed on the workpiece (a projection on the tool) while the minus sign corresponds to formation of a projection on the workpiece (a depression on the master). This profiler is approximately 25 times as productive as conventional machining. Worn graphitized carbon electrodes may be resized periodically on the MA-459 profiler using the same master tool. Orig. art. has: 2 figures.

SUB CODE: 13/ SUBM DATE: none

Card 2/2 pb

KANDEL', A.B.

Increasing the length of service of electrodes in salt baths.
Sel'khoz mashina no.5:32 My '55. (MIRA 8:6)

1. Zavod imeni "Oktyabr'skoy revolyutsii"
(Furnaces) (Electrodes)

KANDEL, A. P.
USSR/Medicine - Physiology

FD-922

Card 1/1 Pub 33-5/29

Author : Kandel, A. P.

Title : Characteristics of vascular reactions to expansion of arteries

Periodical : Fiziol. zhur. 40, 289-294, May/Jun 1954

Abstract : Enough evidence has been collected, as result of experiments on dogs and cats, to make it evident that processes taking place in the walls of blood vessels influence their tonus and pressor reactions as well. Expansion of walls of arteries and increased blood pressure follow rapid injection of small quantity of physiological solution of sodium chloride into the central terminal of an artery. After novocain is introduced into the blood stream, pressor effect, resulting from expansion of arteries, disappears. Increased blood pressure (and expansion of arteries) is usually accompanied by decrease in size of kidneys and spleen which is in no way connected with excitation of vasoconstrictive nerve terminals. Diagrams. Eight Soviet and four non-Soviet references.

Institution : Chair of Normal Physiology, Kirghiz State Medical Institute, Frunze

Submitted : February 20, 1952

Kandel, A.P.

USSR/Human and Animal Physiology - Blood.

V-4

Abs Jour : Ref Zhur - Biol., No 1, 1958, 3863

Author : Yu.M. Gal'perin, A.P. Kandel

Inst : -

Title : An Analysis of the Mechanism of the Effect of Intra-Arterial Transfusions.

Orig Pub : Fiziol. zh. SSSR, 1956, 42, No 7, 559-564

Abstract : The authors studied the role of peripheral mechanisms in the cardio-vascular system stimulation in cases of intra-arterial blood transfusions after a complete and prolonged anemia of the central nervous system (CNS). They applied a modification of I.P. Pavlov's cardiopulmonary "preparat" [preparation?]. Blood was circulating only in the small system and in the artificial system. In the latter, blood pressure was recorded. At various times after the beginning of the CNS anemia (from 20 up to 105 minutes), the animals were receiving

Card 1/3

*Chair of Physiol, Frunze Med School - Chair Normal Physiol.
Kislovsk State Med Inst.*

BAKIN, Ye.I., prof.; STEGAYLO, Ye.A., dotsent; KANDEL', A.P., kand.med.nauk

Conference of physiologists, biochemists, and pharmacologists of
Central Asia and Kazakhstan. Sov.zdrav.Kir. no.2:58-61 Mr-Apr '58.

(MIRA 12:12)

(SOVIET CENTRAL ASIA--PHYSIOLOGY) (CHEMISTRY, MEDICAL AND PHARMACEUTICAL)

KANDEL', E.I.; KUPARADZE, G.R.

Cryothalamectomy in lesions of the extrapyramidal system. Vop.
neirokhir. 28 no.4:41-47 J1-Ag '64. (MIRA 18:3)

1. Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo Znameni
institut neyrokhirurgii imeni Burdenko (dir. - prof. A.I.
Arutyunov) AMN SSSR, Moskva.

KANDEL', Ye. I.

"Influence of the Acute Irritation of Various Parts of the Human Brain on the Blood Pressure, Heart Activity and Respiration." Sub 18 Jan 51, Acad Med Sci USSR.

Dissertations presented for science and engineering degrees in Moscow during 1951.

SO: Sum. No. 480, 9 May 55.

KANDEL', YE. I.

Pituitary Body - Tumors

Fifth neurosurgical conference dedicated to the memory of Academician Nikolay Nilovich Burdenko, Vop. neirokhir, 16, no. 2, 1952.

Monthly List of Russian Accessions, Library of Congress October 1952. UNCLASSIFIED

KANDEL', YS. I.

Vascular System

Observations of conditions of the cardiovascular system in tractotomy. Vop. neirokhir. 16 No 3
1952.

Monthly List of Russian Acquisitions, Library of Congress October 1952 UNCLASSIFIED

1. KANDEL', Ye, I.
2. USSR (600)
4. Spinal Cord
7. Scientific activities. Vop. neirokhir. 16 no. 6 1952.
9. Monthly List of Russian Accessions, Library of Congress, March 1953. Unclassified.

VINOGRADOV, I.; KANDEL', E.

Sixth Annual Neurosurgical Conference and the 3rd Plenary Session of the
Provisional Administrative Board of the All-Union Scientific Society of
Neurosurgeons. Vop.neirokhir. 17 no.3:56-62 My-Je '53. (MLRA 6:8)
(Nervous system--Surgery) (Surgery--Congresses)

KANDEL, YE I

KANDEL', Ye.I.; SPIRIN, B.G.; FANTALOVA, V.L.; FILIPPICHEVA, N.A.

Result of an investigation of conditioned reflex functions in patients
at a neurosurgical clinic. Vop. neirokhir. 18 no.3:21-31 My-Je '54.
(MLRA 7:8)

1. Iz Instituta neyrokhirurgii imeni akademika N.N.Burdenko Akademii
meditsinskikh nauk SSSR.

(REFLEX, CONDITIONED, in various diseases,

*brain dis.

(BRAIN, diseases,

*manifest., conditioned reflex)

KANDEL', Ye.I.

History of the doctrine of tumors of the brain. Vop. neirokhir. 18
(MLRA 7:8)
no.3:60 My-Je '54.

1. Iz Instituta neyrokhirurgii imeni akademika N.N.Burdenko Akademii
meditsinskikh nauk SSSR.

(BRAIN, neoplasms,
*hist. of research in Russia)

KANDEL', E.I.

Asymmetric arterial pressure in brain tumors. Vop.neirokhir. 19
no.3:14-20 My-Je '55. (MLRA 8-6)

1. Iz Nauchno-issledovatel'skogo ordena Trudovogo Krasnogo Znameni
instituta neyro-khirurgii imeni akad. N.N.Burdenko Akademii medi-
tsinskikh nauk SSSR.

(BRAIN, neoplasms,

blood pressure in, asymmetry)

(BLOOD PRESSURE, in various diseases,

cancer of brain, asymmetry of arterial pressure)

KANDEL', E. I., kandidat meditsinskikh nauk

Brain surgery. Zdorov'e 2 no.10:9-11 O '56.
(BRAIN--SURGERY)

(MLBA 9:11)

KANDML', M.I.

Controlled arterial hypotension induced ganglioblocking agents and
its use in neurosurgery. Vop.neirokhir. 20 no.3:48-54 My-Je '56.

(MLRA 9:8)

1. Iz nauchno-issledovatel'skogo ordena Trudovogo Krasnogo Znameni
instituta neyrokhirurgii imeni akad. N.N.Burdenko Akademii Meditsin-
skikh nauk SSSR.

(NERVOUS SYSTEM--SURGERY) (HYPOTENSION)

VINOGRADOVA, I.N.; VIKHRT, T.M.; KANDEL', E.I.

Thromboembolism of the heart and of the pulmonary following surgery of the spinal cord. Vop.neirokhir. 20 no.4:26-34 J1-Ag '56.

(MIRA 9:11)

1. Iz Nauchno-issledovatel'skogo ordena Trudovogo Krasnogo Znameni instituta neirokhirurgii imeni akad. N.N.Burdenko Akademii meditsinskikh nauk SSSR.

(HEART, blood supply

thromboembolism, caused by surg. of spinal cord)

(ARTERIES, PULMONARY, dis.

same)

(SPINAL CORD, surg.

causing thromboembolism of heart & pulm. arteries)

KANDEL, E.I.

YEGOROV, B.G., professor; KANDEL', E.I.

Use of ganglion-blocking agents in neurosurgery and in postoperative stages. Vop.neirokhir. 20 no.6:3-9 M-D '56. (MLRA 10:2)

1. Iz Nauchno-issledovatel'skogo ordena Trudovogo Krasnogo Znameni Instituta neyrokhirugii imeni akad. N.N.Burdenko Akademii meditsinskikh nauk SSSR.

(BRAIN, surgery,

ganglion blocking agents in (Rus))

(AUTONOMIC DRUGS, therapeutic use,

ganglion blocking agents in brain surg. (Rus))

YEGOROVA, B.G., prof., Active Member of the Academy of Medical Sciences, and
KANDELYA, E.I., Candidate of Medical Sciences.

"The Prophylaxis and therapy of brain Edema and Acute Circulatory disturbances Occurring During Brain Injuries," Ganglion-blocking preparations were used in 220 operations..

Paper presented at 11th Session AMB USSR on Trauma, April 1957.

SO: Sum. 1644

KANIEL', Eduard Izrailevich, kand.med.nauk; HENTUMOV, O.M., red.;
GUBIN, M.I., tekhn.red.

[Achievements i modern anesthesiology; new methods of anesthesia
and control of body functions in surgery] Dostizhenia sovremennoi
anesteziologii; novye metody obezbolivaniia i upravleniia
funktsiiami organizma v khirurgii. Moskva, Izd-vo "Znanie," 1957.
47 p. (Vsesoiuznoe obshchestvo po rasprostraneniui politicheskikh
i nauchnykh znani. Ser.8, no.43) (MIRA 11:1)
(ANESTHESIA)

~~KANDEL~~
YEGOROV, B.G.; KANDEL', E.I. kandidat meditsinskikh nauk

Injuries of the central nervous system; from materials of the
eleventh session of the general meeting of the Academy of Medical
Sciences of the U.S.S.R. Vest. AMN SSSR 12 no.4:20-31 '57.
(MIRA 10:10)

1. Daystvitel'nyy chlen AMN SSSR (for Yegorov)
(NERVOUS SYSTEM--WOUNDS AND INJURIES)

BRYUSOVA, S.S.; BLINKOV, S.M.; KANDEL', E.I.

First International Congress of Neurology in Brussels, July 21-28,
1957. Vop.neirokhir. 22 no.2:44-52 M-Ap '58. (MIRA 11:4)
(NERVOUS SYSTEM--DISEASES) (BRAIN--SURGERY)
(HYPOTHERMIA)

EXCERPTA MEDICA Sec 8 Vol 12/5 Neurology May 59

2146. PROPHYLAXIS AND TREATMENT OF CEREBRAL OEDEMA AND ACUTE DISORDERS OF BLOOD CIRCULATION IN INJURIES OF THE BRAIN
(Russian text) - Gorov B. G. and Kandel E. I. - VOPR. NEIROKHIR.
1958, 2 (3-7) YEGOROV, B. G.

- Cerebral oedema and acute disorders of the circulation (multiple haemorrhages, per diapedesis, in the brain and viscera) after injuries of the brain or neurosurgical operations are only different forms of the same pathological process associated with a generalized disturbance in the permeability of the blood vessels. The main factor in these actions is an irritation of the vasomotor centres in the brain stem and hypothalamus. Early administration of ganglioplegics (i. v. at the operation, i. m. during 3 days after the operation) decreases the size of postoperative oedema and prevents the consecutive haemorrhages in the brain and viscera.

Chrast - Brno (VIII, 18)

Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo Znameni insitut
neyrokhirurgii imeni akad. N.N. Burdenko Akademii meditsinskikh nauk
SSSR.

KANDEL', E.I., kand.med.nauk

~~REDACTED~~ A new page in the book of science. Zdorov'e 4 no.9:12-13 8 '58
(MIRA 11:10)

(ANESTHESIOLOGY)

KANDEL', E.I., kand.med.nauk

Tumors of the optic thalamus. Probl.sovr.neirokhir. 3:165-187
'59. (MIRA 16:6)

(OPTIC THALAMUS--TUMORS)

VIKHERT, T.M.; KANDHEL', E.I.; LYASS, F.M.

Experimental studies on reactive changes in the brain following
intracerebral administration of radioactive colloidal gold.

Med.rad. 4 no.9:56-63 S '59. (MIRA 12:11)

1. Iz Nauchno-issledovatel'skogo ordena Trudovogo Krasnogo
Znameni instituta neyrokhirurgii imeni akad. N.N.Burdenko
AMN SSSR.

(GOLD radioactive)

(BRAIN radiation eff)

KANDRL', M.I., kand.med.nauk; VASIN, N.Ya.

Current problems in neurosurgery. Vest.AMI SSSR 14 no.7:
80-86 '59. (MIRA 12:9)

(NERVOUS SYSTEM--SURGERY)

KANDEL', E.I., kand.med.nauk (Moskva)

Comments on English neurosurgery. Vopr.neirokhir. 23 no.2:35-39

Mr-Apr '59.

(MIRA 12:4)

(NEUROSURGERY,
in Ot. Brit. (Rus))

KANDEL', E.I.

Symposium on the problem of acute craniocerebral injuries. Vop.
neirokhir. 23 no.5:50-52 S-O '59. (MIRA 12:11)
(BRAIN--WOUNDS AND INJURIES)

KANDEL', E.I., kand.med.nauk (Moskva)

Hypophysectomy. Vop.neirokhir. 23 no.5:56-60 S-O '59. (MIRA 12:11)
(HYPOPHYSECTOMY)

KANDEL', E.I., kand.med.nauk, nauchnyy red.; POZHIDAYEVA, M.G., red.;
MARAKASOVA, L.P., tekhn.red.

[Struggle for life; collection of articles] Bor'ba za zhizn';
sbornik statei. Moskva, Izd-vo "Sovetskaya Rossiya," 1960.
253 p. (MIRA 14:4)

(MEDICINE)

KANDEL', E.I., kand.meditsinskikh nauk

Problems of modern neurosurgery. Biol.v shkole no.4:
76-84 J1-Ag '60. (MIRA 13:7)

1. Institut neyrokhirurgii imeni akad. N.N.Burdenko, Moskva.
(~~NERVOUS SYSTEM~~---SURGERY)

KANDEL¹, E.I.; KONOVALOV, A.N. (Moskva)

Surgical treatment of multiple aneurysms of the blood vessels
of the brain. Vop.neirokhir. 24 no.5:44-46 S-O '60.

(MIRA 13:11)

1. Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo Znameni
institut neyrokhirurgii imeni akad. N.N. Burdenko AMN SSSR.
(INTERNAL ANEURYSMS)

ARENDR, A.A., zasl. deyatel' nauki prof.; ARKHANGEL'SKIY, V.V., kand. med. nauk; BLAGOVESHCHENSKAYA, N.S., doktor med. nauk; GAL'PERIN, M.D., prof.; KANDEL', E.I., kand. med. nauk; KORN'YANSKIY, G.P., prof.; KORST, L.O., doktor med. nauk; RAZDOL'SKIY, I.Ya., zasl. deyatel' nauki prof.; EMDIN, P.I., zasl. deyatel' nauki prof. [deceased]; EPSHTEYN, P.V.; DAVIDENKOV, S.N., prof., otv. red.; BOGOLEPOV, N.K., prof., zam. otv. red.; SENCHILO, K.K., tekhn. red.

[Multivolume manual on neurology] Mnogotomnoe rukovodstvo po nevrologii. Moskva, Medgiz. Vol.5. [Tumors of the nervous system] Opukholi nervnoi sistemy. . 1961. 570 p.

(MIRA 16:9)

1. Deystvitel'nyy chlen AMN SSSR (for Davidenkov). 2. Chlen-korrespondent AMN SSSR (for Razdol'skiy).

(NERVOUS SYSTEM--TUMORS)

KANDEL', E.I.

Effect of excitation of the dura mater on the cardiovascular system
and respiration in man. Fiziol. zhur. 47 no.10:1276-1282 0 '61.

(MIRA 15:1)

1. From the Academician N.N.Burdenko Institute of Neurosurgery.

The U.S.S.R. Academy of Medical Sciences, Moscow.

(RESPIRATION) (CARDIOVASCULAR SYSTEM)

(DURA MATER)

BLAGOVESHCHENSKAYA, Nataliya Sergeyevna; KANDEL', E.I., red.;
KUZ'MINA, N.S., tekhn. red.

[Topical significance of disorders of hearing, the
vestibular function, smell, and taste in brain lesions]
Topicheskoe znachenie narushenii slukha, vestibuliarnoi
funktsii, obonianiia i vkusa pri porazheniakh golovnogo
mozga. Moskva, Medgiz, 1962. 271 p. (MIRA 15:3)
(BRAIN--DISEASES) (SENSES AND SENSATION)

KANDEL', E.I., kand.med.nauk

Surgical treatment of parkinsonism and other diseases of the
extrapyramidal tract. Report No.1: Technics and methods of
surgical intervention. Vop.neirokhir. 25 no.2:2-9 Mr-Ap '61.
(MIRA 14:6)

1. Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo Znameni
Institut neyrokhirurgii imeni akad. N.H. Burdenko AMN SSSR.
(BRAIN--DISEASES) (NERVOUS SYSTEM--SURGERY)
(PARALYSIS AGITANS)

KANDEL', E.I., kand.med.nauk (Moskva)

Surgical treatment of parkinsonism and other diseases of extra-pyramidal tract. Report No.2: Analysis of results of surgical treatment of parkinsonism. Vop.neirokhir. no.4:46-52 '61.

(MIRA 14:12)

1. Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo Znameni institut neyrokhirurgii imeni akad. N.N. Burdenko AMN SSSR.
(PARALYSIS AGITANS)

KANDEL', E.I., kand.med.nauk

Stereotaxis. Nauka i zhizn' 29 no.4:76-79 Ap '62. (MIRA 15:7)

1. Institut neyrokhirurgii imeni akademika N.N.Burdenko AMN SSSR.
(BRAIN--SURGERY)

KANDEL', E.I. (Moskva)

Surgical treatment of aneurysm of the anterior communicating artery.
Vop.neirokhir. no.2:9-12 '62. (MIRA 15:3)

1. Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo Znameni
institut neyrokhirurgii imeni akad. N.N. Burdenko AMN SSSR,
(INTRACRANIAL ANEURYSMS)

LURIYA, Aleksandr Romanovich. Prinimali uchastiye: POLYAKOV, G.I.;
KHOMSKAYA, Ye.D.; KANDEL', E.I., red.; GEORGIYEVA, G.I.,
tekhn. red.

[Higher cortical functions in man and their disturbances
in focal lesions of the brain] Vysshie korkovye funktsii chelove-
ka i ikh narusheniia pri lokal'nykh porazheniakh mozga. Mo-
skva, Izd-vo Mosk. univ., 1962. 43 p. (MIRA 16:1)
(BRAIN--WOUNDS AND INJURIES) (NEUROLOGY)

GRINDEL', O.M.; KANDEL', E.I.; RAYEVA, S.N. (Moskva)

Changes in the electrical activity of the brain of patients
with parkinsonism in connection with surgery of the basal
ganglia of the brain. Vop. neirokhir. 26 no.6:23-28 N-D'62.
(MIRA 17:3)

1. Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo Znameni
institut neyrokhirurgii imeni N.N. Burdenko AMN SSSR i Institut
vysshey nervnoy deyatel'nosti i neyrofiziologii AN SSSR.

KANDEL', E.I., kand.med.nauk; KUKIN, A.V.; SHAL'NIKOV, A.I.; SHIK, M.L.,
kand.med.nauk (Moskva)

Improvement in the method of local freezing of the subcortical
structures in stereotactic operations on the brain. op.neiro-
khir. no.4:51-54 '62. (MIRA 15:9)

1. Chlen-korrespondent AN SSSR (for Shal'nikov).
(BRAIN--SURGERY) (REFRIGERATION ANESTHESIA)

YEGOROV, B.G.; KANDEL', E.I.

International Congress of Neurosurgeons. Vest.AMN SSSR 17 no.7:87-
88 '62. (MIRA 15:10)

(NERVOUS SYSTEM--SURGERY)

KANDEL¹, E.I., kand.med.nauk

Using ganglioblocking preparations in surgery on tumors of the
cerebellum and the fourth ventricle. Probl.sovr.neirokhir. 4:
212-222 '62. (MIRA 16:2)

(BRAIN—SURGERY)

(AUTONOMIC DRUGS)

YEGOROV, B.G.; KORNIVANSKIY, G.P.; KANDEL', E.I.; SALALYKIN, V.I.; FEDOROV, S.N.
(Moskva)

Use of urea in neurosurgical clinical practice. Vop. Neirokhir.
27 no.1:1-7 Ja-F '63. (MIRA 16:5)

1. Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo Znameni
Institut neyrokhirurgii imeni N.N.Burdenko, AMN SSSR.
(BRAIN—DISEASES) (EDEMA)

KANDEL', E.T.

Development of pulmonary edema in brain tumors. Probl. sovr.
neirokhir. 2:78-91'57. (MIRA 16:6)
(PULMONARY EDEMA) (BRAIN--TUMORS)

KANDEL¹, E.I.

Pathogenesis of respiratory disorders in focal lesions of the
central nervous system. Probl. sovr. neurokhir. 2:92-102:57
(MIRA 16:6)

(NERVOUS SYSTEM--DISEASES) (RESPIRATION)

KANDEL', E.; SERBINENKO, P.

Plenum of the Board of the All-Union Scientific Society of
Neurosurgeons. Vop. neirokhir. 27 no.4:59-60 J1-Ag'63
(MIRA 17:2)

GURFINKEL', V.S.; KANDEL', E.I.; KOTS, Ye.M.; SMIR, E.I. (Moskva)

Use of tremography for prognosis of the effectiveness of surgical treatment of parkinsonism. Vop. neirokhir. 27 no.4:
1-6 JI-Ag'63 (MIRA 17:2)

1. Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo znameni institut neyrokhirurgii imeni N.M.Burdenko AMN SSSR i Institut biofiziki AN SSSR.

KANDEL', E.I.; KUFARADZE, G.E.; KUKIN, A.V.

Method for local destruction of subcortical formations of the
brain by freezing with liquid nitrogen. Fiziol. zhur. 49 no.11:
1378-1380 N '63. (MIRA 17:8)

1. Nauchno-issledovatel'skiy institut neyrokhirurgii imeni
akademika N.N. Burdenko, AMN SSSR, Moskva.